

L Number	Hits	Search Text	DB	Time stamp
23	901	(FIFO with link) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 08:40
24	179	(FIFO with "linked list") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 11:12
25	47	(cpu same ("bus adapter" with processor)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:53
26	177	blumenau.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:54
27	14	blumenau.in. and hba	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 15:00
31	0	223302.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 16:41
32	3	223302.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 16:41
-	742	(710/107.ccls.) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 16:54
-	169	(710/112.ccls.) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 13:23
-	410	(710/113.ccls.) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 13:48
-	386	(710/240.ccls.) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 14:10
-	188	(710/241.ccls.) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 14:10
-	5767	(besmer kendall day).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:31
-	17	(besmer-brad kendall-guy day-brian).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:37

-	0	("bus operation information structure") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 07:52
-	1	("bus operation" same "information structure") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 10:38
-	28	("bus operation information") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 10:01
-	8	((bus near3 structure) same processor same sequencer) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:07
-	733	(bus same processor same memory same sequencer) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:11
-	15	("bus operation" same processor same memory same sequencer) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:45
-	128	("bus sequencer") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 16:05
-	55	("bus operation" same scsi) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 16:06
-	57	("pointer queue" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:48
-	1	"5778431".PN.	USPAT	2003/10/24 08:11
-	1	"5737566".PN.	USPAT	2003/10/24 08:11
-	1	"5526495".PN.	USPAT	2003/10/24 08:11
-	0	("unread pointer" same bus same "start flag") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:49
-	1	(pointer same bus same "start flag") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:51
-	0	("unread pointer" same bus same flag) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:51
-	0	("unread pointer" same flag) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:51

-	8487	(pointer same flag) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:51
-	1	(pointer same "start"flag) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:52
-	54	(pointer same "start flag") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 14:48
-	470	(processor same sequencer same sequencer same (start begin)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 14:50
-	285	(processor same sequencer same signal same (start begin)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:03
-	20	(processor same sequencer same "start signal") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:09
-	10	("processor sends start signal") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:15
-	736	(signal with "start processing") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:16
-	61	((signal with "start processing") same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 15:16
-	3145	("control indicator") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 16:54
-	103	("control indicator" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:19
-	187	("control flag" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:20
-	187	("control flags" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:26
-	0	((("control flag" same bus) and @ad<20010412) not (("control flags" same bus) and @ad<20010412))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:20

-	0	(ownwr\$4 same flag) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:26
-	792	(owner\$4 same flag) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:26
-	368	(owner\$4 with flag) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 08:27
-	1		USPAT	2003/10/27 09:03
-	1		USPAT	2003/10/27 09:04
-	1		USPAT	2003/10/27 09:04
-	1	((forming near structure) same "start signal") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 10:02
-	1211	((forming) same "start signal") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 10:02
-	24	(forming same "start signal" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 10:46
-	64	((data with ready) same "start signal" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 10:04
-	14	(forming same "ready signal" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:18
-	107	(packet same "ready signal" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:31
-	0	((packet with creat\$3) same "ready signal" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:31
-	2	((packet with creat\$3) same "ready signal") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:42
-	91	((packet with creat\$3) same ready) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:56
-	0	(signal same "ready to transmit") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:56

-	6134	(signal same (ready with transmi\$5)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:57
-	2630	(signal same (ready with transmit)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:57
-	1784	(signal same (ready near5 transmit)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:57
-	1642	(signal same (ready near4 transmit)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:57
-	1513	(signal same (ready near3 transmit)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:57
-	1322	(signal same (ready near2 transmit)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:57
-	1039	(signal same (ready near transmit)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:58
-	831	(signal same (ready adj transmit)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 15:24
-	17	(packet same "owner field") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 15:48
-	7	(header same "owner field") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 15:50
-	444	(transmit same receive same owner ) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 15:52
-	2	(transmit same receive same "owner field") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 16:01
-	100	(data same "owner field") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 16:09
-	343	(header same owner) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 16:10

-	19	("owner flag") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 08:42
-	32	("start signal" same "complete signal" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 09:11
-	19	("start signal" same "done signal" same bus) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 09:21
-	8	("start signal" same "done signal" same transmit) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 11:16
-	3	("start signal" with (unread "not read")) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 11:17
-	0	("start flag" with (unread "not read")) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 11:17
-	0	("start flag" with (unread "not read" "not been read")) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 11:17
-	0	("start flag" same (unread "not read" "not been read")) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 11:18
-	93	(flag same (unread "not read" "not been read")) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 11:18
-	62	(flag with (unread "not read" "not been read")) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 12:54
-	162	(signal with (unread "not read" "not been read")) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 13:05
-	30	("EF flag") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 13:06
-	222	("start signal" same "complete signal") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 16:50
-	0	("memory location" with "link field") same (processor with "bus interface" ) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 16:52

-	0	(( "memory location" with "link field") same (processor with "bus interface")) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 16:52
-	8	("memory location" same "link field" same processor) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 16:55
-	20	("memory location" with "link field") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 17:12
-	46	(transmit same "link field") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 17:14
-	6	("next element" same "link field") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 17:14
-	154	(next with "link field") and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 17:22
-	48	("next element" with link) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 08:40